

Window Guards

Retail Buyers Guide



Add safety and security to any window.

John Sterling® Window Guards help protect children and pets from window falls while keeping intruders out. Each of the window guard series has solid adjustable bars to accommodate varying window sizes, along with child-safe bar spacing and a durable powder coat finish.



Applications

- Home
- Living Areas
- Office




Window Security Guards

John Sterling™




1130 Series



Window Security Guards (swing open and fixed)


- Offered in retail and bulk packs
- Retail Packs: Mount as swing-open or fixed. Guards have a fixed height and adjustable width. Includes locking channel, safety release pin, screws and retail label
- Bulk Packs: Mount as fixed (base model) or swing-open (with locking channel and safety release pin, sold separately)
- Child Safe: 3-1/2" bar spacing
- Swings in for easy cleaning and quick exit
- Solid steel bars
- Fire safety release pin can be used, in place of padlock
- Meets New Jersey Code NJAC 5:10-27 for Child Protection Guards



White


How to Choose the Right Size Window Guard

- Measure the height and width of the space to be covered when your window is fully opened
- Select a window guard that will leave less than a 4-inch gap above and below the bars in the window opening
- The chart shows recommended products for a common range of window openings




Description	Guard Height	Max. Window Opening Height	Width
3 Bar Guard	7"	15"	24" to 42"
4 Bar Guard	11"	19"	24" to 42"
5 Bar Guard	14"	22"	24" to 42"
6 Bar Guard	18"	26"	24" to 42"


Security Options




Bolt and Nut
(Not included) Use round head bolt for greater security. Nut is not visible from outside.



Padlock
(Not included) Hang key nearby for safety.




Fixed Mount
(Non-opening) Secure with 3" screws in package.



Child Safety Option: Fire Safety Release Pin (included)

Located out of reach of small children. Requires moderate force to release. Removing pin allows bars to be lifted. After removing pin an adult can easily lift bars free of diagonal slots in lock channel and swing free.

Child Safety Window Guards






1120 Series

Child-Safety Window Guards (fixed)

- Easy to install: includes tamper resistant one-way screws, window stops, instructions and retail label
- Mounts inside or outside of window (outside mounting required in New York City)
- Guards have 4-1/2" spacing between bars
- Fixed, non-opening window guards; these DO NOT swing open. Not suitable for sleeping areas where a quick exit may be required
- Approved by City of New York Department of Health (No. HDWG 04-93-09)
- Solid steel bars

■ Dark Black ■ White








1170 Series

MaxGuards™ (swing-open and fixed)

- Heavy-duty protection keeps intruders out
- Swings in and lifts off for quick exit and easy cleaning
- Child Safe: 3-1/2" bar spacing
- Unique angular bar design resists bolt cutters
- Lock guard protects against bolt cutters
- Fire Safety Release Pin may be used in place of padlock
- Includes Fires Safety Release Pin, hinge brackets, anti-lift bracket, lock guard and mounting screws

White



Lock guard protects against bolt cutters



Unique Hinge Brackets allow guard to lift off when open. Mounting screws are protected when guard is closed.



Fire Safety Release Pin can be used in place of padlock, mounted at top of guard, out of reach of small children. Requires moderate force to remove.




Locking Brackets

Locking brackets engage MaxGuard at top and bottom simultaneously. Unique anti-lift brackets, mounted either top or bottom, holds MaxGuard secure to both brackets with only one padlock. To Release, Guard must be lifted slightly before swinging open.



Flat bars resist bolt cutters


Window Guards Accessories



8760 Series

Locking Channel

- Use with Window Security Guards (BK-1130 series/bulk)
- Use one per guard
- Available for 3-bar, 4-bar, 5-bar, 6-bar, 8-bar and 9-bar of the 1130 Series (bulk)
- PB-8670-3ASTM should be used with BK-1160-LP Fire Safety Release Pin. The padlock hole is removed to prevent use with padlock per child safety window guard standards by ASTM



1160

Safety Release Pin

- Use with Locking Channel



8760 Series

Mounting Hardware

- Carded mounting screws (CD-0105), bulk screws (8768-14), and mounting brackets (1130-CPMB) are available



1130-CPMB



CD-0105

Wide Window Installation (for 1130-CPMB)

Suggested installations for wide windows, using 1-1/4" square tubing, available from Macklanburg-Duncan and others. Recess Mounting, as shown in Figure 1, uses 2 each #1130-CPMB Mounting Brackets. Surface Mounting, as shown in Figure 2, uses screws driven through tubing into window framing wall studs, without using the #1120-CPMB Mounting Brackets.

Figure 1






Figure 2




Note: If desired in either example, window guards can be mounted from both left and right sides to cover entire window.

Typical Window Applications




Double Hung Windows

Bars may be mounted over both upper and lower sash, or over lower sash only as desired.




Vertical



Horizontal

Casement Windows

Vertical or horizontal, bars may be mounted in either direction.



Basement Windows

Often the most vulnerable windows, mount inside for security and ease of installation (see tips below).


Installation Tips



Recess Mount



Surface Mount



Top Mount (on concrete walls)

For easier mounting on concrete block walls, 2" x 4" lumber can be bonded to wall alongside windows with high grade construction adhesive. Bars then easily mount on 2 x 4's.


Mounting Options

In most cases surface mounted Safety Window Guards are easier to install because screws are easier to drive. Also makes screws less accessible to intruders from outside.

Child Safety Option

Fire Safety Release Pin (included)

- Locate out of reach of small children
- Requires moderate force to release
- Removing pin allows bars to be lifted free of diagonal slots in locking channel and swing free



Item	Description	Finish	Unit Dimensions			Unit Pack Qty.	Unit Wt. (lb.)	Master Carton Dimensions			Master Pack Qty.	Master Carton Wt. (lb.)	UPC Code	SCM Code
			L	W	D			L	W	D				
John Sterling Window Guards														
1120 Series														
1123	3-BAR CHILD BAR	WT	15.00	22.75	0.75	1	4.60	30.50	15.50	2.25	3	13.80	077355112306	10077355112303
1123-DB	3-BAR CHILD GUARD-DARK	BK	15.00	22.75	0.75	1	4.60	30.50	15.50	2.25	3	13.80	077355112368	10077355112365
1123-PDB	3-BAR CHILD GUARD DARK	BK	15.00	23.00	0.75	1	4.80	15.00	24.00	6.00	6	28.80	077355211238	10077355211235
1123-SDB	CHILD GUARD SMALL/DK BL	BK	15.00	14.00	0.75	1	3.48	30.00	5.00	15.50	6	20.88	077355112351	10077355112358
1123-LDB	1123-L GUARD/DARK BLACK	BK	15.00	42.00	0.75	1	7.00	45.00	21.50	1.50	3	21.00	077355112399	10077355112396
1124	4-BAR CHILD GUARD	WT	20.00	23.00	0.75	1	7.30	30.50	21.50	2.25	3	21.90	077355112405	10077355112402
1124-DB	4-BAR CHILD GUARD BLACK	BK	20.00	23.00	0.75	1	7.30	30.50	21.50	2.25	3	21.90	077355112375	10077355112372
1125-DB	5-BAR CHILD GUARD BLACK	BK	25.00	23.00	0.75	1	9.00	24.50	33.50	2.25	3	27.00	077355112382	10077355112389
1125	5-BAR CHILD GUARD	WT	25.00	23.00	0.75	1	7.51	24.50	33.50	2.25	3	22.53	077355112504	10077355112501
1130 Series - RETAIL PACKS														
1133-	WINDOW GUARD - 3 BAR	WT	11.00	24.00	1.25	1	4.70	30.50	10.62	2.00	2	9.39	077355113327	10077355113324
1134-	WINDOW GUARD - 4 BAR	WT	14.00	24.00	1.25	1	6.31	30.50	21.50	2.25	2	12.61	077355113440	10077355113447
1135-	WINDOW GUARD - 5 BAR	WT	18.00	24.00	1.25	1	7.87	24.50	33.13	2.50	2	15.74	077355113518	10077355113515
1136-	WINDOW GUARD -6 BAR	WT	22.00	24.00	1.25	1	9.44	22.50	24.50	2.25	2	18.87	077355113617	10077355113614
1138-	WINDOW GUARD	WT	30.00	24.00	1.25	1	13.95	29.25	24.50	2.25	2	27.90	077355113808	10077355113805
1130 Series - BULK PACKS														
BK-1133-	3 BAR WINDOW GUARD BULK	WT	11.00	24.00	0.88	1	4.80	24.00	10.40	5.00	6	28.80	077355113365	10077355113362
BK-1134-	4 BAR WINDOW GUARD BULK	WT	14.00	24.00	0.88	1	5.35	14.20	24.00	5.00	6	32.10	077355113457	10077355113454
BK-1134-S	4 BAR SHORT GUARD BULK	WT	14.00	14.00	0.88	1	3.73	14.20	14.00	5.00	6	22.37	077355113471	10077355113478
BK-1134-L	4 BAR LONG GUARD BULK	WT	14.00	41.00	0.88	1	6.85	14.20	41.00	2.50	3	20.55	077355113464	10077355113461
BK-1135-	5 BAR WINDOW GUARD BULK	WT	18.00	24.00	0.88	1	6.80	0.00	0.00	0.00	3	20.40	077355113525	10077355113522
BK-1136-	6 BAR WINDOW GUARD BULK	WT	22.00	24.00	0.88	1	7.94	21.82	24.00	2.50	3	23.82	077355113624	10077355113621
BK-1136-EL	6 BAR EXTRA LONG GUARD	WT	22.00	58.00	0.88	1	16.50	60.00	2.50	21.52	3	49.50	077355113662	10077355113669
BK-1136-L	6 BAR LONG GUARD BULK	WT	22.00	41.00	0.88	1	10.18	21.82	41.00	2.50	3	30.54	077355113631	10077355113638
BK-1138-	8 BAR WINDOW GUARD BULK	WT	30.00	24.00	0.88	1	11.50	29.44	24.00	2.50	3	34.50	077355113815	10077355113812
BK-1139-	9 BAR WINDOW GUARD BULK	WT	33.00	24.00	0.88	1	22.75	33.25	24.00	2.50	3	68.25	077355113952	10077355113959
1170 Series														
1175	5-BAR MAX WINDOW GUARD	WT	21.00	24.00	1.38	1	11.57	30.50	21.25	2.00	2	23.15	077355117509	10077355117506
Locking Channels														
BK-8760-3	3 BAR BULK LOCK CHANNEL	WT	10.50	1.00	1.00	1	0.49	10.75	6.75	4.06	12	5.88	077355876031	10077355876038
BK-8760-4	4 BAR BULK LOCK CHANNEL	WT	14.25	1.00	1.00	1	0.67	19.00	10.50	3.88	12	8.04	077355876048	10077355876045
BK-8760-6	6 BAR BULK LOCK CHANNEL	WT	21.75	1.00	1.00	1	1.03	29.00	10.50	3.55	12	12.36	077355876062	10077355876069
BK-8760-8	8 BAR BULK LOCK CHANNEL	WT	29.50	1.00	1.00	1	1.40	29.00	10.50	3.88	12	16.80	077355876086	10077355876083
PB-8760-3ASTM	BAGGED LOCK CHANNEL	WT	10.75	3.75	1.00	1	0.44	13.50	6.00	3.50	10	4.38	077355876109	10077355876106
Safety Release Pin														
BK-1160-LP	LOCK PIN BULK PACK	BK	0.25	1.63	2.63	1	0.02	5.65	4.25	2.13	24	0.48	077355116007	10077355116004
Accessories														
CD-0105	SCREWS CARDED BAGGED(SE	-	4.00	4.50	0.13	1	0.25	10.75	6.75	4.06	10	2.50	077355010503	10077355010500
8768-14	RBR /BAGGED SCREWS (CD-	-				1	0.00				2050	0.19	029274340025	10029274340022
1130-CPMB	MOUNTING BRACKET	-	1.50	2.00	1.50	1	0.18	4.00	5.00	8.50	10	1.75	077355113068	10077355113065



KNAPE & VOGT.

2700 Oak Industrial Dr. NE
Grand Rapids, MI 49505-6026 USA
1.800.253.1561 | 616.459.3311
Fax: 877.636.3290
www.kv.com

This and other KV literature is available for download at www.kv.com > Resource Library

Knappe & Vogt reserves the right to change product specifications at any time without notice and without incurring responsibility for existing units.
©2015 Knappe & Vogt. KV and the KV logo are trademarks of Knappe & Vogt.

0L2326/0515